

BASWA Tool Set

2020/1



Product description and areas of application

27-piece BASWA tool set made of stainless steel for installing BASWA acoustic systems.

Product data Tool Set

Item number/Name	a400 / Tool Set „Standard 4-5 people“incl. toolbox
Number of tools	The BASWA Tool Set consists of 27 tools




Shipment

Delivery form	Toolbox / 111 x 35.5 x 39.5 cm
Weight	approx. 20 kg

Tool data

	Item No.	Description	Quantity
	a016	Notched trowel 3 mm 500x130x0.7 mm stainless steel, natural wood handle	3 pcs
	a050	Notched trowel 6mm 500x130x0.7 mm stainless steel, natural wood handle	3 pcs
	a313	Notched trowel 3 mm 280x130x0.7mm stainless steel, blue plastic handle	1 pc
	a416	Notched trowel 6 mm 280x130x0.7mm stainless steel, blue plastic handle	1 pc
	a239	Smoothing trowel 800x120x0.3 mm stainless steel, natural wood handle	1 pc
	a024	Smoothing trowel 500x130x0.7 mm stainless steel, natural wood handle	1 pc
	a051	Smoothing trowel 280x130x0.7 mm stainless steel, blue plastic handle	2 pcs

	Item No.	Description	Quantity	Use
	a307	Smoothing trowel 280x120x0.3 mm stainless steel, blue plastic handle	1 pc	
	a306	Special smoothing trowel, 80x360x0.3mm FBS, oval, flexible for roundings, stainless steel, blue plastic handle	1 pc	
	a025	Plasterer-trowel 5100R/18 stainless steel, cranked, 180 mm, blue plastic handle	3 pcs	
	a026	Plasterer-filler 5104R/10 stainless steel, cranked, 100 mm blue plastic handle	2 pcs	
	a017	Sanding board aluminium, 200x 300 mm, with sanding pad K24	2 pcs	
	a167	Sanding board aluminium, 100x 900 mm With sanding pad K24	1 pc	
	a187	sanding pad for item a167 grain K24	1 pc	
	a121	sanding pad for item a017 grain K24	2 pcs	

	Item No.	Description	Quantity
	a135	Set fine putty flexible stainless steel, 60, 80, 105, 120 mm	1 pc
	a041	Swedish cut saw / plaster saw natural wood handle	1 pc
	a403	BASWA Tool Case Interior: (WxHxD) 105 x 30 x 28 cm Exterior: (WxHxD) 111 x 35.5 x 39.5 cm	1 pc

Disclaimer

The above information, in particular the recommendations for the handling and use of our products, is based on our know-how and experiences under normal circumstances, provided the products have been properly stored and applied. Given the diversity of the materials, base materials and deviating working conditions, warranties for the achievement of work results or any liabilities, regardless of the legal relationship, may neither be construed from the information provided herein, nor any verbal advice given unless we are culpable of acts of intent or gross neglect in conjunction with such claims. In such cases the user shall be required to prove that the user has provided BASWA with all knowledge required for the proper and successful assessment by BASWA in timely manner, completely and in writing. The user shall undertake to verify that the products are suitable suitability for the intended application. BASWA reserves the right to change the product specifications. Third party intellectual property rights shall be observed. Incidentally, our respective sales and delivery terms and conditions shall apply. The respective latest version of our product data sheet shall apply; it is available from us upon request.